


Wire Table						
AWG No.	Dia-meter Mils	Area Circular Mils	Ohms per 1000 Feet	Feet per Pound	10 Deg C rise current	CMA per Amp
0000	460	211,600	.049	1.56		
000	410	167,800	.062	1.97		
00	365	133,100	.078	2.48		
0	325	105,500	.098	3.13		
1	289	83,700	.124	3.95		
2	257	66,400	.156	4.98	100A	664
3	229	52,600	.197	6.28		
4	204	41,700	.249	7.91	72A	579
5	182	33,100	.313	9.98		
6	162	26,250	.395	12.6	54A	486
7	144	20,820	.498	15.9		
8	129	16,510	.628	20.0	40A	413
9	114	13,090	.792	25.2		

10	102	10,380	.999	31.8	30A	345

11	91	8,230	1.26	40.1		
12	81	6,530	1.59	50.6	22A	296
13	72	5,180	2.00	63.8		
14	64	4,110	2.53	80.4	15A	274
15	57	3,257	3.18	101		
16	51	2,583	4.01	128	12.5A	206
17	45	2,048	5.06	161		
18	40	1,624	6.39	203	10A	162
19	36	1,288	8.05	256		
20	32	1,022	10.2	323	7A	146
21	28	800	12.8	400		
22	25	642	16.1	514	5 A	128
23	23	509	20.3	648		
24	20	404	25.7	817		

Figure 8-3. Wire Table for American Standard Wire Gauges



8008

Revision -A- 02-02-06

Figure 8-4. Wire Current Capacity vs Wire Gauge and Free Air Temperature Rise